Deathmatch:








And ré Arko

Øindirect



Solution of the second second




CLOUDCITY DEVELOPMENT











Bundler .0



Bundler 6 30 Aug 2010



Bundler 1.0 30 Aug 2010





bund e instal



bund e instal and instal




bund e insta and instal and insta

bund e insta and instal and insta and instal and instal



(what seemed like) 0 minutes later...



bundler AP



bundler API just the gems you need

bundler API so. much. faster.

$32s \rightarrow 8s$
so. much. faster.

Bundler.



Bundler. 07 March 2012

Bundler. 07 March 2012





API requests are lots of work

pride cometh etc., etc...

dramatic reenactment



















no more AP





















replacement a new bundler api

heroku sinatra postgres

questions

questions will it work, this time?

questions how is it bad?

questions how can it be good?




answers need measurements



we meausure a lot of things



librato tracks all the metrics



librato

0 ß

Papertrail logs all the lines

						_					
-		~			Α	~		~		-	
			m .		_					-	
		•		-	-	-	-	-	•••	-	

bundler-api 🕤

Dash

- May 11 19:10:29 bundler-api heroku/router: at=info method=GET path=/api/v1/dependencies?gems=rake,abstract,activesupp mount, rack-test, tzinfo, actionpack, mime-types, polyglot, treetop, mail, actionmailer, arel, activerecord, activeresource, pg api.herokuapp.com request_id=d243b990441d7ffe58ed9f5599aadc39 fwd="23.20.161.99" dyno=web.1 connect=1ms service=144 May 11 19:10:29 bundler-api heroku/router: at=info method=GET path=/api/v1/dependencies?gems=little-plugger,loquacious pageant, echoe, rspec-mocks, rspec-expectations, rspec-core, cucumber, diff-lcs, spicycode-rcov host=bundler-api.herokuapp fwd="54.245.255.174" dyno=web.3 connect=3ms service=49ms status=200 bytes=48627
- May 11 19:10:29 bundler-api heroku/router: at=info method=GET path=/api/v1/dependencies?gems=bones-rcov,bones-rubyfor zentest,git,language,escape_utils host=bundler-api.herokuapp.com request_id=bb77840c19bf3bff8706762efe142e5c fwd="5 service=12ms status=200 bytes=2529
- May 11 19:10:30 bundler-api heroku/router: at=info method=HEAD path=/api/v1/dependencies?gems=rails,mysql2,sass-rails rails, exception_notification, syslog-ml-logger, pry-rails, ruby-oci8, activerecord-oracle_enhanced-adapter host=bundler request_id=bd82d9efe1aadd4b8b1b41b709441ccb fwd="54.245.255.174" dyno=web.1 connect=2ms service=79ms status=200 byt May 11 19:10:30 bundler-api heroku/router: at=info method=GET path=/api/v1/dependencies?gems=bones-rcov,bones-rubyfor
- ansicolor, treetop, polyglot, highline, allison, rdoc host=bundler-api.herokuapp.com request_id=a6c3ff47311c555aaf613aee connect=1ms service=131ms status=200 bytes=57322

- units=pages

May 11 19:10:30 bundler-api heroku/scheduler.7783: source=heroku.8536910.scheduler.7783.3b7d191d-79bc-418a-88a8-a474d May 11 19:10:30 bundler-api heroku/scheduler.7783; source=heroku.8536910.scheduler.7783.3b7d191d-79bc-418a-88a8-a474d May 11 19:10:30 bundler-api heroku/scheduler.7783: source=heroku.8536910.scheduler.7783.3b7d191d-79bc-418a-88a8-a474d

Searches

May 11 19:10:30 bundler-api heroku/scheduler.7783: source=heroku.8536910.scheduler.7783.3b7d191d-79bc-418a-88a8-a474d@ units=pages

- May 11 19:10:30 bundler-api heroku/router: at=info method=GET path=/api/v1/dependencies?gems=mail.text-format.erubis. cache,activemodel,rack-mount,i18n,tzinfo,activerecord-deprecated_finders,arel,rails-observers,thread_safe,minitest, source, bones, rdoc, rack-ssl, listen, hike, libv8, ref host=bundler.rubygems.org request_id=2fd418ee50b1608f5c8b2568a94f4 service=152ms status=200 bytes=66110
- May 11 19:10:31 bundler-api heroku/router: at=info method=GET path=/api/v1/dependencies?gems=highline,allison host=bundler.rubygems.org request_id=9f326314f21b753dc0612f9f1810bb39 fwd="96.25.198.233" dyno=web.4 connect=1ms service=8ms status=200 bytes=2269

Search

Example: "access denied" (1.2.3.4 OR redis) -sshd

Collabor	ators	Setting	js	papertrail \rightarrow	Docs			
board	Ever	nts	Account	Help 🕤	Profile			
ort,builder,i18n,activemodel,erubis,rack,rack- ,thor,railties,rails host=bundler- ms status=200 bytes=231050 s,bones-git,bones-extras,needle,jruby- .com request_id=5251e05c982ceb89bab990bcaf18e3d9								
ge,bones-rspec,bones- 4.245.255.174" dyno=web.4 connect=2ms								
,coffee-rails,therubyracer,uglifier,jquery- -api.herokuapp.com es=0								
ge,bones-rspec,bones-zentest,git,gherkin,term- bb421d20 fwd="54.245.255.174" dyno=web.1								
025f04d measure=load_avg_1m val=0.38 025f04d measure=load_avg_5m val=0.45 025f04d measure=memory_total val=379.78 units=MB 025f04d measure=memory_rss val=378.46 units=MB 025f04d measure=memory_cache val=1.32 units=MB 025f04d measure=memory_swap val=0.00 units=MB								
			ry_pgpgin		τı			
025f04d	measur	e=memo	ry_pgpgout	val=7435				
rack-test,rack,builder,journey,rack- memcache-client,coffee-script- 091 fwd="49.212.166.160" dyno=web.8 connect=0ms								





OFF

TRUNCATE

measuring leads to knowledge



discovery l small postgres is fast

discovery l big postgres is faster

discovery 2 redis caching was slow



discovery 3 usage is hard to measure

discovery 4 threading is great!

discovery 4 threading is great! ...but deadlocks aren't

discovery 5 "response time" isn't

discovery 5 "response time" isn't so check from outside

then the bugs came rolling in



synchronizing is really, really hard

background processing is slow



webooks are unreliable

both is actually pretty good

after all that bundling is fast again

$2s \rightarrow 20ms$ two entire orders of magnitude faster

it's okay, I guess

we can do way better

and we have a plan

you can help

operators are standing by



thank you